

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20020718	15	Image display apparatus	US 20020093468 A1	345/55	
2	20020418	20	Liquid crystal device, liquid crystal driving device and method of driving the same and electronic equipment	US 20020044113 A1	345/87	
3	20020307	28	Driving arrangements for active matrix LCDs	US 20020027541 A1	345/87	
4	19931005	56	Half tone liquid crystal display circuit with an A.C. voltage divider for drivers	US 5250937 A	345/89	345/101; 345/94
5	19770621	5	Miniature flat panel photocathode and microchannel plate picture element array image intensifier tube	US 4031552 A	348/801	313/105CM; 345/76
6	19940527	9	METHOD FOR DRIVING LIQUID CRYSTAL DISPLAY DEVICE	JP 06149180 A		345/87

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	91215	image near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 16:41
2	BRS	L2	666	(multiple near tone) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 16:42
3	BRS	L3	115684	digital near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 16:58
4	BRS	L4	7	1 and 2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:01
5	BRS	L5	712	sequence near circuits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:03
6	BRS	L6	37670	logic near circuits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:08
7	BRS	L7	127	5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:08
8	BRS	L8	2809	half and (frame adj period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:09
9	BRS	L9	3	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:10
10	BRS	L10	571	345/55.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:12
11	BRS	L11	3482	(345/87-89).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:12
12	BRS	L12	624	(345/76).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:12

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L14	528	345/82.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:14
14	BRS	L15	419	345/690.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:16
15	BRS	L16	169	(345/691-693).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:17
16	BRS	L17	1001	(345/98).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:17
17	BRS	L18	769	(345/100).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:17
18	BRS	L19	6364	10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:28
19	BRS	L20	109	binary adj voltages	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:51
20	BRS	L21	6	19 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:51

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20021003	33	Image display apparatus	US 20020140712 A1	345/690	
2	20010920	47	Data Terminal, data distribution system, and internet telephone system	US 20010023428 A1	709/201	
3	20020709	113	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	US 6418424 B1	706/21	434/178; 706/52
4	20001121	97	Liquid-crystal display system having a driver circuit capable of multi-color display	US 6151005 A	345/89	345/95
5	19990504	91	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	US 5901246 A	382/209	
6	19910806	38	Image transmission system	US 5038202 A	348/396.1	
7	19900828	33	Image transmission system	US 4953196 A	348/14.14	348/22

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20021003	33	Image display apparatus	US 20020140712 A1	345/690	
2	19731204	14	CONVERTER FOR CATV	US 3777053 A	380/228	380/241
3	20021009	33	Image display apparatus e.g. LED has horizontal and vertical drive circuits that selectively scan display elements for preset number of times in one frame period	US 20020140712 A		

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	91215	image near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 16:41
2	BRS	L2	666	(multiple near tone) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 16:42
3	BRS	L3	115684	digital near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 16:58
4	BRS	L4	7	1 and 2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:01
5	BRS	L5	712	sequence near circuits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:03
6	BRS	L6	37670	logic near circuits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:08
7	BRS	L7	127	5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:08
8	BRS	L8	2809	half and (frame adj period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:09
9	BRS	L9	3	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 17:10